

WHAT IS CLAIMED IS:

1. A multi deck cart, comprising
 - a bottom holding unit including a horizontal plate, and front and rear
5 wall portions made of narrow plates and respectively detachably
connected with front and rear edges of the horizontal plate at lower
edges; the horizontal plate being formed with concave portions at
lateral edges thereof;
 - a plurality of wheels detachably joined to a lower side of the
10 horizontal plate;
 - two lateral plates respectively inserted in the concave portions of the
horizontal plate at lower ends; each lateral plate being folded such
that front and rear edges thereof have connecting portions
projecting from it; the lateral plates being detachably joined to the
15 wall portions at the connecting portions thereof; and
 - a plurality of upper holding units spaced apart between the lateral
plates; each holding unit including a horizontal plate, and front and
rear wall portions made of narrow plates and respectively
detachably connected with front and rear edges of the horizontal
20 plate at lower edges; the holding units being detachably joined to
the connecting portions of the lateral plates at the wall portions
thereof.
2. The multi deck cart as claimed in claim 1, wherein the lateral plates

and the holding units are made of metal materials.

3. The multi deck cart as claimed in claim 1, wherein the horizontal plate of the bottom holding unit has insertion portions at the front and the rear edges while each of the wall portions of the bottom holding unit has a hooking portion at the lower edge for allowing insertion of a corresponding insertion portion therein.
4. The multi deck cart as claimed in claim 1, wherein each of the horizontal plates of the upper holding units has insertion portions at the front and the rear edges while each of the wall portions of the upper holding units has a hooking portion at the lower edge for allowing insertion of a corresponding insertion portion therein.
5. The multi deck cart as claimed in claim 1, wherein the connecting portions of the lateral plates have through holes spaced along them, while the wall portions have through holes on two ends, and are secured to the lateral plates by means of threaded fixing elements, which are passed through the through holes thereof and the through holes of the lateral plates.
6. The multi deck cart as claimed in claim 1, wherein a handle is provided, which opposes an outer side of a first one of the lateral plates, and is secured to the first lateral plate.
7. The multi deck cart as claimed in claim 6, wherein the handle includes two supports secured to the first lateral plate, and a main body connected with the supports at two ends.

8. The multi deck cart as claimed in claim 1, wherein each of the horizontal plates of the upper holding units is folded such that each of the lateral edges thereof has a vertical section, and a horizontal section projecting inwards from the vertical section.

5 9. The multi deck cart as claimed in claim 8, wherein guide rails are secured to the horizontal sections of the lateral edges of the upper holding units, and drawers are supported on the guide rails.

10

15

20